

# LUXORLIVE

SOUND SPECIFICATIONS MAIN HALL (update September 2018)

Willemsplein 10  
6811 KB Arnhem  
The Netherlands  
**Correspondence Address:**  
P.O. Box 925  
6800 AX Arnhem  
The Netherlands  
**info@luxorlive.nl**  
**Phone:** +31 (0)26 3511660  
**Fax:** +31 (0)26 3705039

## PA:

### Line Array:

18x EV XLD281  
9x EV TG-5 Amplifier

### Subs:

6x EV Xsub  
3x EV TG-7 Amplifier

### Frontfills:

2x EV RX212  
1x EV TG-5 Amplifier

### Outfills:

2x Adamson 10MX  
1x EV TG-5 Amplifier

### Processor:

EV N8000

## Monitors:

### Wedges:

4x EV XW15a  
6x EV XW12a  
8x EV TG-5 Amplifier

### Fills:

4x EV Plasma P1 + EV Plasma P2

### Console:

Midas Sienna 40/16

### Outboard:

Lexicon MPX100  
Klark Teknik SquareONE  
(8ch Gate/Comp)  
5x Klark Teknik DN370

## Microphones & DI's:

### Microphones:

6x Shure SM 58  
4x Shure Beta 58A  
6x Shure SM 57  
4x Shure Beta 57A  
1x Shure Beta 52A  
1x Shure Beta 91A  
6x Sennheiser e904  
2x Sennheiser e609  
2x EV RE20  
4x Neumann KM184  
2x Line Audio Design CM3  
2x Lewitt LTC540  
2x Heil PR30  
1x Heil PR40

### DI's:

2x Klark Teknik DN100  
6x Radial ProD2

### Wireless:

4x Shure ULXD w/ SM58 Heads.  
*Available on request only.*

### Microphone Stands:

K&M Black & Plenty

## FOH:

### Standard Digital Console:

Midas Pro 2 full size 8/16  
*Softwareversion: v3.4.2*

DL 251 48/16 stage rack  
DL 153 16/8 local rack

### Alternative: Mega Awesome

### Analog Vintage Fidelity Console\*:

*\*On request only*

Midas Heritage 2000  
44+4/12+12x8/2x2

### Outboard (Available for both Pro2 & Heritage 2000):

#### FX Rack Default:

Eventide H3000  
Lexicon PCM70  
Lexicon PCM80  
T.C. Electronic D2  
4x dbx 160A (1ch Comp)  
Drawmer 1978 (2ch FET Comp)  
Klark Teknik DN540 (4ch Comp)  
3x Drawmer DS201 (2ch Gate)  
Klark Teknik DN370

#### Optional Rack 1:

2x dbx 160A (1ch Comp)

#### Optional Rack 2:

2x dbx 160A (1ch Comp)

## Infra:

### FOH Multicore:

48/12 pair  
Stage Snakes:  
4x 10/2 pair  
1x 14/4 pair

### Cables:

Gotham-Neutrik Black & Plenty

### Available Power:

400V 32A Stage left & right  
230V Kerf plugboards Black & Plenty



**SOUND SPECIFICATIONS MAIN HALL (update September 2018)**

Willemsplein 10  
6811 KB Arnhem  
The Netherlands  
**Correspondence Address:**  
P.O. Box 925  
6800 AX Arnhem  
The Netherlands  
**info@luxorlive.nl**  
**Phone:** +31 (0)26 3511660  
**Fax:** +31 (0)26 3705039

**Note:**

**Sound limitations: 103 dB(a) peak LEQ 15 minutes.** in accordance with the national VNPF/VVEM covenant. Measured with 10EaZy calibrated IEC61672-3 Class 2 equipment. The entire (dutch) covenant can be found here: <https://zoek.officielebekendmakingen.nl/stcrt-2016-36467.html>

**Showfiles:** Please note that any showfiles you would like to load should be sent at least a week in advance to [david@luxorlive.nl](mailto:david@luxorlive.nl). This to make sure we can properly load, check & patch them and your patch and settings are correct upon your arrival. If you cannot meet this deadline, please contact us so we can find a solution.

**Safety:** Luxor Live attempts to create a working environment that is as safe as possible. We kindly ask visiting technicians to consider the safety of themselves, our employees, the artists and the audience when working in our venue. Luxor Live reserves the right to cancel or refuse certain parts of the show that, in our opinion, have safety issues. In light of this also think about wearing safety-shoes on load-in or outs.

If you have any doubts about this in regards to your show please contact us in advance so we can discuss the matter.

**Decoration flammability:** regarding the flammability of decorations we follow the rules as described in the NBR2011:01 "Brandveiligheid van decors, doeken en decoratiemateriaal". This (dutch) document can be found here: <http://docplayer.nl/15037675-Brandveiligheid-van-decors-doeken-en-decoratiemateriaal.html> and is also available through us on request. If an English explanation is required, please contact us for this documents highlights.

This or any other document in no way alters the right described in the previous section to cancel or refuse certain parts of the show if they have safety issues of any kind. Luxor Live always has the final say in safety disputes.

**Backline:** Luxor Live does not have a backline. If you require one, please contact the production department.

**Backdrop:** It is possible to hang a backdrop with the maximum dimensions of 6x4m (WxH) and a maximum weight of 50kg.

**Stage dimensions:** See page 3.

There will be one or two sound technicians present, depending on the type of show.

Please specify your FOH preference at least a week in advance.

Rolling risers are available on request in advance.

For technical information contact:

David Stevens: [david@luxorlive.nl](mailto:david@luxorlive.nl)

and/or

Fon Sanders: [fon@luxorlive.nl](mailto:fon@luxorlive.nl)

The latest version of this document can always be found on: [www.luxorlive.nl/tech-specs](http://www.luxorlive.nl/tech-specs)

# PLAN

