

LUXORLIVE

LIGHTING SPECIFICATIONS MAIN HALL (update January 2019)

Willemsplein 10
6811 KB Arnhem
The Netherlands
Correspondence Address:
P.O. Box 925
6800 AX Arnhem
The Netherlands
info@luxorlive.nl
Phone: +31 (0)26 3511660

Lighting desk:

Standard Console:

Avolites Arena

(40 faders – 20 executers)

Softwareversion: Titan v11.1

Alternative Console*:

**On request only*

Avolites Pearl Expert Pro with Touch Wing & extra Touchscreen

(80 faders – 10 executers)

Softwareversion: Titan v11.1

Nodes & Network:

Fixed:

1 x ELC dmXLAN Switch 10 GBX

1 x ELC dmXLAN Node 8 GBX

1 x ELC dmXLAN Buddy Node

Flexible:

1 x ELC dmXLAN Node 8 FI

Lighting dimmers:

72 Fixed Channels ADB Dimmers 3,6kW each

Concert Stage:

Conventional:

24 x Thomas PAR64 MFL 1kW

4 x short nose ACL set

Moving lights:

8 x Robe Spiider Super extended Mode 10*

**on request other modes are available*

8 x Robe DL4X Spot Mode 1

4 x Robe DL4X Spot Mode 1*

**also available as floor lighting*

Floor lights:

12 x Thomas PAR64 NSP 1kW

4 x Robe Spiider Super extended Mode 10*

**on request other modes are available*

8 x GLG Creator 1 Basic

Front & Hall lights:

Conventional:

4 x ADB DS205 2kW 13°-36°

6 x ETC Source Four Jr Zoom 575W 25°- 50°

2 x Emil Niethammer HPS 200 2kW 23°

Moving lights:

4 x Robe DL4F Wash Mode 1

8 x Robe Robin LEDBeam 150 Mode 1

Blinders :

4 x 4-lite blinder

Haze & Smoke:

1 x Jem Hazer Pro

1 x Swefog Ultimate 3000 DMX

1 x Martin Magnum Pro 2000

w/ DMX interface

Strobe:

4 x Hungaroflash EuroDMX Pro

Led Ceiling:

317 x RGB Led Pixel

Outdated & Spare Lights*:

**may or may not be available, Please contact us.*

Moving Lights:

10 x Robe ColorSpot 250AT

10 x Robe ColorWash 250AT

Note:

All hung lighting has fixed positions. Floor lighting is flexible.

All universes are controllable via sACN. If you have problems connecting your desk this way we can provide up to 8 universes on physical DMX. If you require a Patchlist, Led-ceiling mapping or any other advancing information; contact Fon Sanders (fon@luxorlive.nl)

There will be one lighting technician present.

Please email us your LEE-colour preferences at least two day prior to showdate.

Safety: Luxor Live attempts to create a working environment that is as safe as possible. We kindly ask visiting technicians to consider the safety of themselves, our employees, the artists and the audience when working in our venue. Luxor Live reserves the right to cancel or refuse certain parts of the show that, in our opinion, have safety issues. In light of this also think about wearing safety-shoes on load-in or outs.

If you have any doubts about this in regards to your show please contact us in advance so we can discuss the matter.

Decoration flammability: regarding the flammability of decorations we follow the rules as described in the NBR2011:01 “Brandveiligheid van decors, doeken en decoratiemateriaal”. This (dutch) document can be found here: <http://docplayer.nl/15037675-Brandveiligheid-van-decors-doecken-en-decoratiemateriaal.html> and is also available through us on request. If an English explanation is required, please contact us for this documents highlights.

This or any other document in no way alters the right described in the previous section to cancel or refuse certain parts of the show if they have safety issues of any kind. Luxor Live always has the final say in safety disputes.

Backdrop: It is possible to hang a backdrop with the maximum dimensions of 6x4m (WxH) and a maximum weight of 50kg.

Stage dimensions: See page 3.

Lighting Plot: see www.luxorlive.nl/tech-specs

Video and Sound specifications: see www.luxorlive.nl/tech-specs

For technical information contact Fon Sanders: fon@luxorlive.nl

The latest version of this document can always be found on: www.luxorlive.nl/tech-specs

Handwritten

