



SOUND SPECIFICATIONS MAIN HALL (update July 2020)

Willemsplein 10
6811 KB Arnhem
The Netherlands
Correspondence Address:
P.O. Box 925
6800 AX Arnhem
The Netherlands
info@luxorlive.nl
Phone: +31 (0)26 3511660

PA:

Line Array:

18x Adamson S10

Amps:

3x Lab.gruppen D120

Subs:

6x Adamson S119

Amps:

1x Lab.gruppen D200

Fills:

4x Adamson IS7P

Amps:

1x Lab.gruppen D40

Processing:

2x Lake Contour LM44

1x Microsoft Surface control tablet

Monitors:

Wedges:

8x Adamson M15P

Amps:

3x Lab.gruppen D120

Additional monitoring:

4x EV Plasma P1

4x EV Plasma P2

Monitor Console:

Midas Sienna 40/16

Outboard:

Lexicon MPX100

Klark Teknik SquareONE

(8ch Gate/Comp)

5x Klark Teknik DN370

FOH:

Standard Digital Console:

Midas Pro 2 full size 8/16

Softwareversion: v3.4.6

DL 251 48/16 stage rack

DL 153 16/8 local rack

Alternative: Mega Awesome Analog Vintage Fidelity

Console*:

Midas Heritage 2000 44+4/12+12x8/2x2

**On request only, but please request it. It's cool.*

Outboard (Available for both Pro 2 & Heritage 2000):

FX Rack Default:

Eventide H3000

Lexicon PCM70

Lexicon PCM80

T.C. Electronic D2

4x dbx 160A (1ch Comp)

Drawmer 1978 (2ch FET Comp)

Klark Teknik DN540 (4ch Comp)

3x Drawmer DS201 (2ch Gate)

Klark Teknik DN370

Optional Rack 1:

2x dbx 160A (1ch Comp)

Optional Rack 2:

2x dbx 160A (1ch Comp)

Microphones & DI's:**Microphones:**

6x Shure SM 58
4x Shure Beta 58A
6x Shure SM 57
4x Shure Beta 57A
1x Shure Beta 52A
1x Shure Beta 91A
6x Sennheiser e904
2x Sennheiser e609
2x EV RE20
4x Neumann KM184
2x Line Audio Design CM3
2x Lewitt LTC540
2x Heil PR30
1x Heil PR40
2x Beyerdynamic M88

Wireless:

4x Shure ULXD w/ SM58 Heads.

DI's:

2x Klark Teknik DN100
6x Radial ProD2

Microphone Stands:

K&M Black & Plenty

Infra:**FOH Multicore:**

48/12 pair

Stage Snakes:

4x 10/2 pair

1x 14/4 pair

Cables:

Gotham-Neutrik Black & Plenty

Available Power:

400V 32A Stage left & right

230V Kerf plugboards Black & Plenty

DJ Gear:

Available on request

If you require DJ Gear please contact

mattijs@luxorlive.nl



SOUND SPECIFICATIONS MAIN HALL (update July 2020)

Willemsplein 10
6811 KB Arnhem
The Netherlands
Correspondence Address:
P.O. Box 925
6800 AX Arnhem
The Netherlands
info@luxorlive.nl
Phone: +31 (0)26 3511660

Note:

Sound limitations: 103 dB(a) peak LEQ 15 minutes. in accordance with the national VNPF/VVEM covenant. Measured with 10EaZy calibrated IEC61672-3 Class 2 equipment. The entire (dutch) covenant can be found here: <https://zoek.officielebekendmakingen.nl/stcrt-2016-36467.html>

Showfiles: Please note that any showfiles you would like to load should be sent at least a week in advance to mattijs@luxorlive.nl. This to make sure we can properly load, check & patch them and your patch and settings are correct upon your arrival. If you cannot meet this deadline, please contact us so we can find a solution.

Safety: Luxor Live attempts to create a working environment that is as safe as possible. We kindly ask visiting technicians to consider the safety of themselves, our employees, the artists and the audience when working in our venue. Luxor Live reserves the right to cancel or refuse certain parts of the show that, in our opinion, have safety issues. In light of this also think about wearing safety-shoes on load-in or outs.

If you have any doubts about this in regards to your show please contact us in advance so we can discuss the matter.

Decoration flammability: regarding the flammability of decorations we follow the rules as described in the NBR2011:01 "Brandveiligheid van decors, doeken en decoratiemateriaal". This (dutch) document can be found here: <http://docplayer.nl/15037675-Brandveiligheid-van-decors-doeken-en-decoratiemateriaal.html> and is also available through us on request. If an English explanation is required, please contact us for this documents highlights.

This or any other document in no way alters the right described in the previous section to cancel or refuse certain parts of the show if they have safety issues of any kind. Luxor Live always has the final say in safety disputes.

Backline: Luxor Live does not have a backline. If you require one, please contact the production department.

Backdrop: It is possible to hang a backdrop with the maximum dimensions of 6x4m (WxH) and a maximum weight of 50kg.

Stage dimensions: See page 3.

There will be one or two sound technicians present, depending on the type of show.

Please specify your FOH preference at least a week in advance.

Rolling risers are available on request in advance.

For technical information contact:

Mattijs de Vroomen: mattijs@luxorlive.nl

The latest version of this document can always be found on: www.luxorlive.nl/tech-specs

PLAN

