

LUXORLIVE

LIGHTING SPECIFICATIONS MAIN HALL (September 2021)

Willemsplein 10
6811 KB Arnhem
The Netherlands
Correspondence Address:
P.O. Box 925
6800 AX Arnhem
The Netherlands
info@luxorlive.nl
Phone: +31 (0)26 3511660

Lighting desk:

Standard Console:

Avolites Arena

(40 faders – 20 executers)

Softwareversion: Titan v14.0

Alternative Console*:

**On request only*

Avolites Pearl Expert Pro with Touch Wing & extra Touchscreen

(80 faders – 10 executers)

Softwareversion: Titan v14.0

Nodes & Network:

Fixed:

1 x ELC dmXLAN Switch 10 GBX

1 x ELC dmXLAN Node 8 GBX

1 x ELC dmXLAN Buddy Node

Flexible:

1 x ELC dmXLAN Node 8 FI

1 x ELC dmXLAN Buddy Node

Lighting dimmers:

72 Fixed Channels ADB

Dimmers 3,6kW each

Concert Stage:

Conventional:

16 x Thomas PAR64 MFL 1kW

2 x short nose PAR56 ACL set

Blinders :

4 x 4-lite blinder

Strobes:

4 x Hungaroflash EuroDMX Pro

Moving lights:

8 x Robe Spiider Mode 6

8 x Robe DL4X Spot Mode 1

16 x Robe Robin LEDBeam 150 Mode 1

Floor lights:

12 x Thomas PAR64 MFL 1kW

4 x Robe DL4X Spot Mode 1

4 x Robe Spiider Mode 6

Haze & Smoke:

1 x Jem Hazer Pro

1 x Swefog Ultimate 3000 DMX

1 x Stairville HZ-200 DMX Hazer

1 x Martin Magnum Pro 2000

w/ DMX interface

Front & Hall lights:

Conventional:

4 x ADB DS205 2kW 13°-36°

8 x ETC Source Four Jr Zoom

575W 25°- 50°

Moving lights:

4 x Robe DL4F Wash Mode 1

4 x Robe Robin LEDBeam 150

Mode 1

Led Ceiling:

317 x RGB Led Pixel

Note:

All hung lighting has fixed positions. Floor lighting is flexible.

All universes are controllable via sACN. If you have problems connecting your desk this way we can provide up to 8 universes on physical DMX. If you require a Patchlist, Led-ceiling mapping or any other advancing information; contact Mitch (Mitch@luxorlive.nl)

There will be one lighting technician present.

Please email us your LEE-colour preferences at least two day prior to showdate.

Safety: Luxor Live attempts to create a working environment that is as safe as possible. We kindly ask visiting technicians to consider the safety of themselves, our employees, the artists and the audience when working in our venue. Luxor Live reserves the right to cancel or refuse certain parts of the show that, in our opinion, have safety issues. In light of this also think about wearing safety-shoes on load-in or outs.

If you have any doubts about this in regards to your show please contact us in advance so we can discuss the matter.

Decoration flammability: regarding the flammability of decorations we follow the rules as described in the NBR2011:01 “Brandveiligheid van decors, doeken en decoratiemateriaal”. This (dutch) document can be found here: <http://docplayer.nl/15037675-Brandveiligheid-van-decors-doeken-en-decoratiemateriaal.html> and is also available through us on request. If an English explanation is required, please contact us for this documents highlights.

This or any other document in no way alters the right described in the previous section to cancel or refuse certain parts of the show if they have safety issues of any kind. Luxor Live always has the final say in safety disputes.

Backdrop: It is possible to hang a backdrop with the maximum dimensions of 6x4m (WxH) and a maximum weight of 50kg.

Stage dimensions: See page 3.

Lighting Plot: see www.luxorlive.nl/tech-specs

Video and Sound specifications: see www.luxorlive.nl/tech-specs

For technical information contact Mitch: Mitch@luxorlive.nl

The latest version of this document can always be found on: www.luxorlive.nl/tech-specs

THEATRE

